

Material Safety Data Sheet

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



<p>IDENTITY (As Used on Label and List)</p> 	
--	--

Section I

<p>Manufacturer's Name: eXtreme Cleaner</p>	<p>Emergency Telephone Number 1-800-424-9300</p>
<p>Address: 4730 South 21000 West Holbrook, ID 83243 U.S.A.</p>	<p>Telephone Number for Information 1- 208- 698-3366</p>
<p>Chemical Name: Multi-Purpose Cleaner</p>	<p>Date Prepared February 24, 1992</p>
<p>Formula: Proprietary</p>	<p>Chemical Family Solvent Blend</p>

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
Trade Secret (Per OSHA Hazard Communications Standard 1910.1200[i])				
New Jersey Trade Secret Registry Number: 80100385				

Section III - Physical/Chemical Characteristics

Boiling Point	157 F (69.4 C)	Specific Gravity (H ₂ O = 1)	0.949
Vapor Pressure (mm Hg)	7	Melting Point	N/A
Vapor Density (AIR = 1)	3.6	Evaporation Rate (Butyl Acetate = 1)	0.72
Solubility in Water	Complete	Appearance and Odor Clear Liquid w/ Slight Odor	

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 151 F (66.1 C) Tag Closed Cup	Flammable Limits	LEL 4	UEL 15
Extinguishing Media Dry Chemical, CO2, Water Spray, Alcohol Foam.			
Special Fire Fighting Procedures SCBA and Protective Clothing Recommended.			
Unusual Fire and Explosion Hazards Moderate Fire Hazard When Exposed to Heat or Flames.			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid Excessive Heat, Sparks, and Flames
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>) Strong Oxidizing and Reducing Agents.			
Hazardous Decomposition or Byproducts Carbon Monoxide and Carbon Dioxide on Combustion.			
Hazardous Polymerization	May Occur		Conditions to Avoid N/A
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? X	Skin? X	Ingestion? X
Health Hazards (<i>Acute and Chronic</i>) Acute overexposure may result in irritation of the eyes and skin. Chronic exposure may result in Dermatitis			
Carcinogenicity: None known	NTP? No	IARC Monographs? No	OSHA Regulated? No
Signs and Symptoms of Exposure Irritation (redness)			
Medical Conditions Generally Aggravated by Exposure: Asthma and other respiratory conditions, Dermatitis			

<p>Emergency and First Aid Procedures</p> <ol style="list-style-type: none"> 1. <u>Inhalation</u> - Remove to Fresh Air. 2. <u>Eyes</u> - Hold eyelids open and flush with water for at least 15 minutes. Obtain medical attention. 3. <u>Skin</u> - Wash with soap & water, rinse. Repeat if needed. 4. <u>Ingestion</u> - Do not induce vomiting (Irritating solvent;) Obtain prompt medical attention. <p>Physicians: Lavage and/or dilute solvent if necessary. Avoid strong oxidizing and reducing agents. Treat symptomatically.</p>

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Wipe or mop up surplus (or use an absorbent and sweep.) Mop or flush any residue with water.	
Waste Disposal Method	Per local, State and Federal Regulations.
Precautions to Be taken in Handling and Storing Store in cool, dry area. Keep container closed when not in use.	
Other Precautions	Use in well ventilated spaces

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) NIOSH approved respirator if ventilation is inadequate.	
Ventilation	Local Exhaust N/A
	Special N/A
	Mechanical (<i>General</i>) N/A
	Other N/A
Protective Gloves Rubber or neoprene if desired.	Eye Protection Safety Glasses or face-shield if splashing is a concern or problem.
Other Protective Clothing or Equipment N/A	
Work/Hygienic Practices Per local work place policy.	

* U.S.G.P.O.: 1986 - 491 - 529/45775